

1

Experiment 1

- a) Toss two equal coins 20 times and note the outcomes in this table.

e.g.

Outcome	Tally of 20 throws	Pupil Totals
H H		6
H and T		9
T T		5

(20)

(n = total number of tosses)

- b) Collect the data for the whole class and fill in the table.

e.g.

Outcome	Class Totals	Relative frequency
H H	123	$\frac{123}{500} = 0.246 \rightarrow 24.6\%$
H and T	253	$\frac{253}{500} = 0.506 \rightarrow 50.6\%$
T T	124	$\frac{124}{500} = 0.248 \rightarrow 24.8\%$
	$n = 500$	

- c) What do you notice about the results?

Write a sentence about it.

- e.g. • Relative frequencies of 'HH' and 'TT' are almost equal and are about half of the relative frequency for 'H and T'.
- Relative frequency of 'HH' and of 'TT' is about 25% or $\frac{1}{4}$, and relative frequency of 'a Head and a Tail' is about 50% or $\frac{1}{2}$.

2

Experiment 2

- a) Toss three equal coins 40 times and note the outcomes in this table.

e.g.

Outcome	Tally of 40 throws	Pupil Totals
H H H		7
1 H and 2 T		16
2 H and 1 T		12
T T T		5

(40)

- b) Collect the data for the whole class and fill in the table.

e.g.

Outcome	Class Totals	Relative frequency
H H H	127	$\frac{127}{1000} = 0.127 \rightarrow 12.7\%$
1 H and 2 T	373	$\frac{373}{1000} = 0.373 \rightarrow 37.3\%$
2 H and 1 T	376	$\frac{376}{1000} = 0.376 \rightarrow 37.6\%$
T T T	124	$\frac{124}{1000} = 0.124 \rightarrow 12.4\%$
	$n = 1000$	

- c) What do you notice about the results?

Write a sentence about it.

- e.g. • The relative frequencies of 'HHH' and 'TTT' are almost equal and are about 1 third of the relative frequency for '1 Head and 2 Tails' and for '2 Heads and 1 Tail'.
- The relative frequency of 'HHH' and of 'TTT' is between 12% and 13%, and the relative frequency of 'a Head and 2 Tails' and of '2 Heads and a Tail' is each between 37% and 38%.

1

Throw two equal dice 72 times and write the data in the table.

e.g. For a class of 30 pupils:

Outcome	Tally of 72 throws	Pupil Total	Relative frequency	Class Total	Relative frequency	≈
1 and 1		1	$\frac{1}{72}$	63	≈ 0.0292	(2.92%)
1 and 2		5	$\frac{5}{72}$	118	≈ 0.0546	(5.46%)
1 and 3		3	$\frac{3}{72}$	120	≈ 0.0556	(5.56%)
1 and 4		4	$\frac{4}{72}$	123	≈ 0.0569	(5.69%)
1 and 5		4	$\frac{4}{72}$	117	≈ 0.0542	(5.42%)
1 and 6		2	$\frac{2}{72}$	121	≈ 0.0560	(5.60%)
2 and 2		3	$\frac{3}{72}$	58	≈ 0.0269	(2.69%)
2 and 3		6	$\frac{6}{72}$	116	≈ 0.0537	(5.37%)
2 and 4		4	$\frac{4}{72}$	121	≈ 0.0560	(5.60%)
2 and 5		3	$\frac{3}{72}$	120	≈ 0.0556	(5.56%)
2 and 6		5	$\frac{5}{72}$	118	≈ 0.0546	(5.46%)
3 and 3		2	$\frac{2}{72}$	59	≈ 0.0273	(2.73%)
3 and 4		4	$\frac{4}{72}$	121	≈ 0.0560	(5.60%)
3 and 5		3	$\frac{3}{72}$	121	≈ 0.0560	(5.60%)
3 and 6		4	$\frac{4}{72}$	120	≈ 0.0556	(5.56%)
4 and 4		0	0	60	≈ 0.0278	(2.78%)
4 and 5		5	$\frac{5}{72}$	120	≈ 0.0556	(5.56%)
4 and 6		4	$\frac{4}{72}$	119	≈ 0.0550	(5.50%)
5 and 5		3	$\frac{3}{72}$	61	≈ 0.0282	(2.82%)
5 and 6		4	$\frac{4}{72}$	124	≈ 0.0574	(5.74%)
6 and 6		3	$\frac{3}{72}$	60	≈ 0.0278	(2.78%)
$n =$		72	$n =$	2160		

2

Using the class data in *Question 1*, fill in this table where we deal with the **sum** of the two numbers thrown.

e.g. Sample table for a class of 30 pupils:

Sum	0	1	2	3	4	5	6	7	8	9	10	11	12	13
Frequency	0	0	63	118	178	239	297	362	299	240	180	124	60	0
Relative frequency	0	0	$\frac{63}{2160}$ 2.9%	$\frac{118}{2160}$ 5.5%	$\frac{178}{2160}$ 8.2%	$\frac{239}{2160}$ 11.1%	$\frac{297}{2160}$ 13.8%	$\frac{362}{2160}$ 16.8%	$\frac{299}{2160}$ 13.8%	$\frac{240}{2160}$ 11.1%	$\frac{180}{2160}$ 8.3%	$\frac{124}{2160}$ 5.7%	$\frac{60}{2160}$ 2.8%	0
Probability	0	0	$\frac{1}{36}$ 2.8%	$\frac{2}{36}$ 5.6%	$\frac{3}{36}$ 8.3%	$\frac{4}{36}$ 11.1%	$\frac{5}{36}$ 13.8%	$\frac{6}{36}$ 16.7%	$\frac{5}{36}$ 13.8%	$\frac{4}{36}$ 11.1%	$\frac{3}{36}$ 8.3%	$\frac{2}{36}$ 5.6%	$\frac{1}{36}$ 2.8%	0

What do you notice about the table? e.g.

- The relative frequencies are very close to the probabilities.
- The frequencies and relative frequencies for a sum of 2 and a sum of 12, (and for 3 and 11, 4 and 10, 5 and 9, 6 and 8) are very similar.

1

Using the class data in *Question 1* on page 114, fill in this table where we deal with the **product** of the numbers thrown. Calculate in your exercise book.

Sample table for a class of 30 Ps, each throwing 2 dice 72 times:


e.g.

$n = 2160$

Product	1	2	3	4	5	6	8	9	10	12	15	16	18	20	24	25	30	36
Frequency	63	118	120	181	117	237	121	59	120	239	121	60	120	120	119	61	124	60
Relative frequency \approx	$\frac{63}{2160}$ 2.9%	$\frac{118}{2160}$ 5.5%	$\frac{120}{2160}$ 5.6%	$\frac{181}{2160}$ 8.4%	$\frac{117}{2160}$ 5.4%	$\frac{237}{2160}$ 11%	$\frac{121}{2160}$ 5.6%	$\frac{59}{2160}$ 2.7%	$\frac{120}{2160}$ 5.6%	$\frac{239}{2160}$ 11.1%	$\frac{121}{2160}$ 5.6%	$\frac{60}{2160}$ 2.8%	$\frac{120}{2160}$ 5.6%	$\frac{120}{2160}$ 5.6%	$\frac{119}{2160}$ 5.6%	$\frac{61}{2160}$ 2.8%	$\frac{124}{2160}$ 5.7%	$\frac{60}{2160}$ 2.8%
Probability \approx	$\frac{1}{36}$ 2.8%	$\frac{2}{36}$ 5.6%	$\frac{2}{36}$ 5.6%	$\frac{3}{36}$ 8.3%	$\frac{2}{36}$ 5.6%	$\frac{4}{36}$ 11.1%	$\frac{2}{36}$ 5.6%	$\frac{1}{36}$ 2.8%	$\frac{2}{36}$ 5.6%	$\frac{4}{36}$ 11.1%	$\frac{2}{36}$ 5.6%	$\frac{1}{36}$ 2.8%	$\frac{2}{36}$ 5.6%	$\frac{2}{36}$ 5.6%	$\frac{2}{36}$ 5.6%	$\frac{1}{36}$ 2.8%	$\frac{2}{36}$ 5.6%	$\frac{1}{36}$ 2.8%

2

What is the **probability** of these events happening?



i) Red wins. $\left(\frac{2}{6} = \frac{1}{3}\right)$

ii) Red or green wins.


iii) Green does **not** win.

$$\left(\frac{4}{6} = \frac{2}{3}\right)$$

$$\left(\frac{4}{6} = \frac{2}{3}\right)$$

iv) Neither green nor red wins.

$$\left(\frac{2}{6} = \frac{1}{3}\right)$$



i) Red wins. ii) $\left(\frac{2}{6} = \frac{1}{3}\right)$

Red or green wins. $\left(\frac{3}{6} = \frac{1}{2}\right)$

iii) Green does **not** win.

$$\left(\frac{5}{6}\right)$$

iv) Neither green nor red wins.

$$\left(\frac{3}{6} = \frac{1}{2}\right)$$

3

A cuboid which measured 1.5 cm by 2 cm by 2.5 cm was used as a dice. The cuboid was thrown 1000 times and the frequency of each outcome was noted in the table.

Outcome	Frequency	Relative frequency
1	145	14.5%
2	168	16.8%
3	189	18.9%
4	186	18.6%
5	162	16.2%
6	150	15%

(1000)

a) Calculate the **relative frequency** for each outcome and complete the table.

b) If the sum of the numbers on any two opposite faces is 7, which numbers are written on the two:

i) largest faces **3** and **4**

ii) smallest faces? **1** and **6**

largest middle-sized smallest

37.5%

33%

29.5%

c) What is the **relative frequency** of each of the 3 sizes of face?


1

If the wheel is spun, what is the probability of these outcomes? Complete the table.

Outcome	1	2	3	4	5	6	At least 5	At most 5
Probability	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{2}{6} = \frac{1}{3}$	$\frac{5}{6}$

2

A marble is dropped into this maze and has an equal chance of falling to the left or to the right.



a) In how many ways can the marble come out at:

A	1	B	5	C	10
D	10	E	5	F?	1


b) How many routes are there altogether? 32

c) What is the probability of each outcome?

Outcome	A	B	C	D	E	F
Probability	$\frac{1}{32}$	$\frac{5}{32}$	$\frac{10}{32}$	$\frac{10}{32}$	$\frac{5}{32}$	$\frac{1}{32}$

3

Sue used this hexagon-based pyramid as a dice. It has 7 written on its hexagon base and 1, 2, 3, 4, 5 and 6 written on its triangular faces.



Sue threw the dice 100 times and noted the numbers it landed on. She wrote how many times (**frequency**) the dice landed on each number (**outcome**) in this table.

Outcome	1	2	3	4	5	6	7
Frequency	11	12	13	10	12	14	28
Relative frequency	$\frac{11}{100}$	$\frac{12}{100}$	$\frac{13}{100}$	$\frac{10}{100}$	$\frac{12}{100}$	$\frac{14}{100}$	$\frac{28}{100}$


a) Fill in the bottom row of the table to show the **ratio** of the number of times a number was landed on to the total number of throws (**relative frequency**).

b)	How many times did Sue throw:	i)	at least a 4	64
		ii)	at most a 4?	46

1

Three equal coins are tossed.

Draw a graph to show the probability of each outcome.




2

Two equal dice are thrown.

Draw a graph to show the probability of each possible **sum** of the two numbers thrown.


(Use the probability data from *Question 2*, page 114).



3

Paul is walking from A to B and Mike from B to A. The graph shows their positions during that time.

- Who started first?
Paul, 1 min before Mike
- Who arrived first?
Mike, 1 min before Paul
- How long did:
 - Paul take 15 mins ..
 - Mike take? 13 mins ..
- What happened during the 7th and 8th minutes?
..... They met and stopped.



1

Write in the table how many pupils in your class have birthdays in each month.
e.g. For a class of 30 pupils:

Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
2	1	6	3	1	2	4	0	7	3	0	1

b) Show the data in a graph.

e.g.

c) Write the data in increasing order.

0, 0, 1, 1, 1, 2, 2, 3, 3, 4, 6, 7

.....

.....


d) What are these values? e.g.

i) Mode:

ii) Median:


iii) Mean:

Number of birthdays



2

Show in a graph the probability of each possible **product** when 2 dice are thrown.
(Use the probability data from *Question 1*, page 115.)



3


Henry cannot make up his mind which cinema, B or C, to go to from his house at A.

The graph shows what Henry did.

a) Which cinema **did** Henry go to?

b) When did he change his mind?

c) When did he start to run?



1

Two groups of pupils are in a competition to see which of them does better in a maths test out of 8 marks.

Both groups contain 8 pupils but their marks are similar. They need one overall mark for each group to make the comparison easier and decide to use the **mean** value.

Calculate the mean mark for each group and compare them. Fill in the missing sign.

Group A: 8, 8, 7, 5, 6, 8, 6, 7 (marks)

Group B: 6, 6, 6, 7, 6, 7, 8, 8

$$\text{Mean: } \frac{8 + 8 + 7 + 5 + 6 + 8 + 6 + 7}{8} = \frac{55}{8} = \underline{6.875}$$

$$\text{Mean: } \frac{6 + 6 + 6 + 7 + 6 + 7 + 8 + 8}{8} = \frac{54}{8} = \underline{6.75}$$

2

Solve the problem in your exercise book and write the answer here.

Two groups of children collected blackberries. There were 6 children in **Group A** and 8 children in **Group B**.

The members of **Group A** collected these amounts of blackberries:

1.2 kg, 0.8 kg, 1.6 kg, 2.4 kg, 0.6 kg, 0.9 kg

The members of **Group B** collected these amounts of blackberries:

0.9 kg, 1.4 kg, 1.2 kg, 0.6 kg, 2 kg, 1 kg, 0.45 kg, 0.7 kg

Which group worked harder?

$$\text{Mean of Group A: } \frac{1.2 + 0.8 + 1.6 + 2.4 + 0.6 + 0.9}{6} = \frac{7.5}{6} = \underline{1.25 \text{ (kg)}}$$

$$\begin{aligned} \text{Mean of Group B: } & \frac{0.9 + 1.4 + 1.2 + 0.6 + 2 + 1 + 0.45 + 0.7}{8} \text{ (kg)} \\ & = \frac{8.25}{8} \text{ (kg)} = 1.03125 \text{ kg} \approx \underline{1.03 \text{ kg}} \end{aligned}$$

Answer: The children in Group A worked harder as they gathered more blackberries per person on average than those in Group B.


3

Draw graphs to show the data from *Question 2*.

Draw a *red* horizontal line at each **mean**.


Group A

Mean: 1.25 kg



Group B

Mean: 1.03 kg



1

The ages of the members of the *Cabbage* family are:

1 year, 3 years, 33 years, 34 years and 65 years

The ages of the members of the *Parsnip* family are:

10 years, 12 years, 19 years, 21 years, 42 years and 43 years.

- a) Calculate the **mean** age of each family.

Cabbage family: $\frac{1 + 3 + 33 + 34 + 65}{5} = \frac{136}{5} = 27.2$ (years)

Parsnip family: $\frac{10 + 12 + 19 + 21 + 42 + 43}{6} = \frac{147}{6} = 24.5$ (years)

- b) Both families are working in their gardens. Which family should be able to do more work? Give a reason for your answer.

The Parsnip family should be able to do more work in the garden because all of them can work.

2

One summer's day in Budapest, the temperature was noted every two hours and recorded in this table.

Time (hours)	0	2	4	6	8	10	12	14	16	18	20	22	24
Temperature (°C)	10.6	10.0	9.5	11.1	15.2	20.9	25.0	28.3	29.0	26.1	21.0	17.4	13.0

- a) Calculate the **mean** of the temperatures on that day from the given data.

Mean: $\frac{237.1}{13} \approx 18.2$ (°C)

- b) Write the data in increasing order then find the **mode** and **median**.

9.5, 10.0, 10.6, 11.1, 13.0, 15.2, 17.4, 20.9, 21.0, 25.0, 26.1, 28.3, 29.0

Mode: *Any or all of these temperatures (as each occurs once)*

Median: *17.4°C*

3

One winter's day in Budapest, the temperature was noted every two hours and recorded in this table.

Time (hours)	0	2	4	6	8	10	12	14	16	18	20	22	24
Temperature (°C)	-10	-11	-11	-10	-8	-3	1	4	5	2	0	-4	-8

- a) Calculate the **mean** of the temperatures on that day from the given data.

Mean: -4°C

- b) Write the data in increasing order then find the **mode** and **median**.

-11, -11, -10, -10, -8, -8, -4, -3, 0, 1, 2, 4, 5

Mode: -11 or -10 or -8

Median: -4°C

1

Write in the **missing** numbers.

a) $(4 \times 3) + \boxed{5} = 17$

b) $(5 \times 5) - \boxed{3} = 22$

2

Calculate 459×6

$459 \times 6 = 2400 + 300 + 54 = \underline{2754}$ or

$$\begin{array}{r} 459 \\ \times 6 \\ \hline 2754 \\ \hline 35 \end{array}$$

3

Write the number that is the nearest to 5000 which uses **all** the digits 4, 5, 6 and 8.

$\boxed{4865}$

4

Practise calculation.

a)

	2	0	8	1	7
		4	0	5	3
	1	0	4	1	0
+		5	0	5	0
	1	7	9	4	7

b)

	2	2	0	8	1	7
-		6	7	0	9	2
	1	5	3	7	2	5

c)

		8	3	6	0	5
					1	4
		8	3	6	0	5
+	3	3	4	4	2	0
1	1	7	0	4	7	0

5

We have 80 books altogether. They are arranged on 3 shelves.

If we moved 7 books from the top shelf to the middle shelf and took 8 books away from the bottom shelf, there would be an equal number of books on each shelf.

How many books are on each shelf?

e.g.

Number of books: 80 Number of books to be moved: 7

Number of books to be taken away completely: 8

Number of books left: $80 - 8 = 72$

Number of books on each of 3 shelves if equal: $72 \div 3 = \underline{24}$

Actual number of books on: top shelf: $24 + 7 = \underline{31}$

middle shelf: $24 - 7 = \underline{17}$

bottom shelf: $24 + 8 = \underline{32}$

Answer: There are 31 books on the top shelf, 17 books on the middle shelf and 32 books on the bottom shelf.

1

Circle **two** numbers which add up to 160.



$63 + 97$, $64 + 96$, $65 + 95$, $66 + 94$, $67 + 93$,
 $73 + 87$, $74 + 86$, $75 + 85$, $76 + 84$, $77 + 83$

63	64	65	66	67
73	74	75	76	77
83	84	85	86	87
93	94	95	96	97



2

A shop sells these flowers.



- a) John buys **4 bunches** of **daisies**. How much does he pay altogether?

$$99 \text{ p} \times 4 = 100 \text{ p} \times 4 - 4 \text{ p} = 400 \text{ p} - 4 \text{ p} = 396 \text{ p} = \underline{\underline{\pounds 3.96}}$$

$$\text{or } = \pounds 1 \times 4 - 4 \text{ p} = \pounds 4 - 4 \text{ p} = \underline{\underline{\pounds 3.96}}$$

Answer: John paid $\pounds 3.96$ for 4 bunches of daisies.

- b) Karpal has **$\pounds 5.00$** to spend on **roses**. How many **roses** can she buy for **$\pounds 5.00$** ?

$$\pounds 5 \div 50 \text{ p} = 500 \text{ p} \div 50 \text{ p} = 50 \text{ p} \div 5 \text{ p} = \underline{10} \text{ (times)}$$

Answer: Karpal can buy 10 roses.

3

a) $\frac{3}{4} + \frac{2}{4} + \frac{1}{4} = \left(\frac{6}{4} = \frac{3}{2} = 1\frac{1}{2}\right)$ b) $2\frac{4}{5} - 1\frac{1}{5} = \left(1\frac{3}{5}\right)$


c) $3\frac{2}{3} + \frac{1}{6} = \left(3\frac{4}{6} + \frac{1}{6} = 3\frac{5}{6}\right)$ d) $\frac{7}{8} - \frac{1}{5} = \left(\frac{35-8}{40} = \frac{27}{40}\right)$ e) $\frac{2}{7} \times 3 = \left(\frac{6}{7}\right)$

f) $\frac{8}{9} \div 4 = \left(\frac{2}{9}\right)$ (or $= \frac{8}{36} = \frac{4}{9}$)

4

Circle the **two** numbers which add up to 1.

0.11 0.85 0.9 0.25 0.15



5

a)

		1	0	2	
	1	0	3	4	5
+		6	2	9	7
		1	7	6	2

b)

	3	6	8	2
-	1	4	5	9
	2	2	2	3

c)

		4	3
	\times	7	
	3	0	1

d)

	1	7
4	6	8

6

	A	B
+	B	C
	D	A

In this addition, different letters stand for different digits and the same letters stand for the same digits. A is **not less** than 3.

- a) Which digit could each letter stand for? Find different solutions in your exercise book.

There are 15 different answers

- b) What is: i) the smallest 43 ii) the greatest 98 possible sum?

$A=3, B=1, C=2, D=4$

$A=8, B=1, C=7, D=9$

1

Practise addition.

- a) i) $3 + 2 = 5$ ii) $3 + 0 = 3$ iii) $3 + (-2) = 1$
iv) $3 + (-4) = -1$ v) $3 + (-6) = -3$
- b) i) $-3 + (-2) = -5$ ii) $-3 + 0 = -3$ iii) $-3 + 2 = -1$
iv) $-3 + 4 = 1$ v) $25 - 3 + 6 = 3$
- c) i) $25 + (-41) + 12 + (-10) = -14$
ii) $-100 + (-30) + 78 + (-48) = -100$
iii) $5000 + (-2000) + (-3000) = 0$
iv) $-85\,000 + (-15\,000) + (-20\,000) = 100\,000 + (-20\,000) = -120\,000$
v) $-236\,700 + 0 = -236\,700$

2

Write an operation and calculate the answer.

- a) Ian had £1500 in cash and was £400 in debt, then £300 of his debt was cancelled. What is his balance now?
Plan: $1500 + (-400) - (-300) = 1500 + (-100) = 1400$
Answer: Ian's balance is £1400.
- b) Lucy had £1500 in cash and was £400 in debt. She went on holiday and spent £1200. What is her balance now?
Plan: $1500 + (-400) + (-1200) = 300 + (-400) = -100$
Answer: Lucy's balance is -£100.

3

Practise calculation.

- | | |
|---------------------------|---------------------------|
| a) i) $20 - (+14) = 6$ | b) i) $20 + (-14) = 6$ |
| ii) $20 - (+36) = -16$ | ii) $20 + (-36) = -16$ |
| iii) $40 - (+40) = 0$ | iii) $40 + (-40) = 0$ |
| iv) $35 - (-20) = 55$ | iv) $35 + (+20) = 55$ |
| v) $-30 - (-10) = -20$ | v) $-30 + (+10) = -20$ |
| vi) $-30 - (-30) = 0$ | vi) $-30 + (+30) = 0$ |
| vii) $-20 - (-50) = 30$ | vii) $-20 + (+50) = 30$ |
| viii) $-20 - (+30) = -50$ | viii) $-20 + (-30) = -50$ |

4

What is the smallest possible, 3-digit, positive integer which fulfils these conditions?

- If it is multiplied by 3, the result is also a 3-digit number.
- If it is multiplied by 4, the result is a 4-digit number.

1

Practise rounding:

a) to nearest 10	b) to nearest 100	c) to nearest tenth
$6208 \approx 6210$	$6208 \approx 6200$	$62.08 \approx 62.1$
$14\,035 \approx 14\,040$	$14\,035 \approx 14\,000$	$140.35 \approx 140.4$
$90\,455 \approx 90\,460$	$90\,455 \approx 90\,500$	$904.55 \approx 904.6$
$383 \approx 380$	$383 \approx 400$	$3.83 \approx 3.8$
$9\,999 \approx 10\,000$	$9\,999 \approx 10\,000$	$99.99 \approx 100.0$

2

e.g. $538 - 396 = 238 - 96 = 148 - 6 = 142$
or $542 - 400 = 142$ (Adding equal amounts to reductant and subtrahend does not change the difference.)

3


Write in the **four missing digits**.

Put **one** digit in each box.

$$\boxed{9}\boxed{9} + \boxed{9}\boxed{9} = 198$$

4

Here is a graph.



- a) The points **A**, **B** and **C** are **equally spaced**.
What are the **coordinates** of the point **B**?

$(5, 5)$

- b) Point **D** is directly below point **C**.
What are the **coordinates** of the point **D**?

$(10, 0)$

5

In a race, the runners are started 1 minute after each other. The first runner covers 174 m each minute and the second runner covers 182 m each minute.

What distance will be between the two runners:

- a) 10 minutes after the first runner started $174\text{ m} \times 10 - 182\text{ m} \times 9$
 $= 1740\text{ m} - 1638\text{ m} = 102\text{ (m)}$
- b) 30 minutes after the first runner started? $174\text{ m} \times 30 - 182\text{ m} \times 29$
 $= 5220\text{ m} - 5278\text{ m} = -58\text{ m}$

1

Practise calculation.

- a) $37 - 80 + 43 + 64 - 44 = 20$
- b) $3.7 - 8 + 4.3 + 6.4 - 4.4 = 2$
- c) $5 \times 31 \times 25 \times 20 \times 4 = 310\,000$
- d) $2 \times 50 \div 4 \times 27 = 675$

2

Practise calculation.

- a) $30 - 16 \div 4 + 9 \times 5 + 15 = 86$
- b) $72 \div 8 - 20 \times 6 \div 5 + 300 \div 100 = -12$
- c) $20 \div 8 \times 6 + 3 \times 12 \div 9 + 15 \div 5 - 5 = 17$

3

Do each calculation in two different ways.

- a) $650 - (450 + 120) = 650 - 570 = 80$
or $650 - 450 - 120 = 200 - 120 = 80$
- b) $650 - (450 - 120) = 650 - 330 = 320$
or $650 - 450 + 120 = 200 + 120 = 320$
- c) $50 \times (12 + 38) = 50 \times 50 = 2500$
or $50 \times 12 + 50 \times 38 = 600 + 1900 = 2500$
- d) $(200 - 180) \times 7 = 20 \times 7 = 140$
or $200 \times 7 - 180 \times 7 = 1400 - 1260 = 140$
- e) $(90 + 72) \div 18 = 162 \div 18 = 9$
or $90 \div 18 + 72 \div 18 = 5 + 4 = 9$
- f) $600 \div (25 \times 6) = 600 \div 150 = 4$
or $600 \div 25 \div 6 = 100 \div 25 = 4$

4

Which positive, whole numbers make all three inequalities true at the same time?

$$3 \times (5 + \square) < 35$$

$$8 + \square > 11$$

$$20 - 3 \times \square \leq 9$$

Possible numbers: \square : 4, 5, 6

1

Megan makes a sequence of numbers starting with **100**.
She **subtracts 45** each time. Write the next **two** numbers in the sequence.

100, 55, 10, - 35, , - 80 ,

2

Eggs are put in **trays of 12**. The trays are packed in boxes.
Each box contains **180 eggs**. How many trays are in each box?
Show your working.



Plan: $180 \div 12$ ($= 30 \div 2 = \underline{15}$) or $\begin{array}{r} 15 \\ 12 \overline{)180} \\ \underline{30} \\ 150 \\ \underline{180} \end{array}$ *Check:* $\begin{array}{r} 15 \\ \times 12 \\ \hline 30 \\ 150 \\ \hline 180 \end{array}$ ✓
Answer: There are 15 trays in each box.

3

Calculate $\frac{7}{8}$ of 7000. Answer: **6125**

4

Mr. Jones has two sizes of square paving stones.
He uses them to make a path.



The path measures **1.55 metres** by **3.72 metres**.

Calculate the **width** of a **small paving stone**.

Show your method. You may get a mark.

0.62 m or 62 cm

5

Some children and their Dads went on a journey by train. There were 10 Dads with 1 child each, 10 Dads with 2 children each and 10 Dads with 3 children each.
The group took up the 3 coaches at the front of the train and each child was in the same coach as his or her father.

How could they sit so that the number of Dads and the number of children were the same in each of the 3 coaches?

e.g.

Coach 1	Coach 2	Coach 3
D D D D D D D D D D C	D D D D D D D D D D C	D D D D D D D D D D C
$5 \times 3 + 5 \times 1$	$5 \times 3 + 5 \times 1$	10×2

1

Fill in the missing numbers and signs. $843 + 157 = 1000$

- a) $843 + (157 + 36) = 1000 + \boxed{36}$ b) $843 + (157 + k) = 1000 + \boxed{+} k$
c) $(843 + 41) + 157 = 1000 + \boxed{+} 41$ d) $(843 + n) + 157 = 1000 + \boxed{n}$
e) $843 + (157 - 69) = 1000 - \boxed{69}$ f) $843 + (157 - t) = 1000 - \boxed{t}$
g) $(843 - 55) + 157 = 1000 - \boxed{55}$ h) $(843 - u) + 157 = 1000 - \boxed{u}$
i) $(843 + 16) + (157 + 16) = 1000 + \boxed{32}$
j) $(843 + x) + (157 + x) = 1000 + \boxed{2 \times x}$
k) $(843 + 72) + (157 - 72) = \boxed{1000}$ l) $(843 + y) + (157 - y) = \boxed{1000}$

2

Fill in the missing numbers and signs. $685 - 185 = 500$

- a) $(685 + 15) - 185 = 500 + \boxed{15}$ b) $(685 + a) - 185 = 500 + \boxed{+} a$
c) $685 - (185 + 23) = 500 - \boxed{23}$ d) $685 - (185 + b) = 500 - \boxed{b}$
e) $(685 - 45) - 185 = 500 - \boxed{45}$ f) $(685 - c) - 185 = 500 - \boxed{c}$
g) $685 - (185 - 30) = 500 + \boxed{30}$ h) $685 - (185 - d) = 500 + \boxed{d}$
i) $(685 + 51) - (185 + 51) = \boxed{500}$ j) $(685 + e) - (185 + e) = \boxed{500}$
k) $(685 + 4) - (185 - 4) = 500 + \boxed{8}$ l) $(685 + f) - (185 - f) = 500 + \boxed{2 \times f}$
m) $(685 - 10) - (185 + 10) = 500 - \boxed{20}$
n) $(685 - g) - (185 + g) = 500 - \boxed{2 \times g}$

3

- a)

<i>Rakes</i> £7.70 each

<i>Spades</i> £9.55 each

<i>Flowerpots</i> £11.75 each

Nicola has **£50**. She buys **3 flowerpots** and a **spade**.

How much money does she have left?

£5.20

- b) Seeds are **£1.49** for a packet. Stephen has **£10** to spend on seeds.

What is the **greatest number** of packets he can buy?

6

4

How many positive 3-digit numbers less than 500 are there in which the middle digit is half of the sum of the two outside digits?

111, 123, 135, 147, 159, 210, 222, 234, 246, 258,
321, 333, 345, 357, 369, 420, 432, 444, 456, 468

20









1

Fill in the missing numbers and signs. $60 \times 20 = 1200$

- a) $(60 \times 3) \times 20 = 1200 \times 3$ b) $(60 \times n) \times 20 = 1200 \times n$
c) $60 \times (20 \times 4) = 1200 \times 4$ d) $60 \times (20 \times m) = 1200 \times m$
e) $(60 \div 3) \times 20 = 1200 \div 3$ f) $(60 \div s) \times 20 = 1200 \div s$
g) $60 \times (20 \div 4) = 1200 \div 4$ h) $60 \times (20 \div t) = 1200 \div t$
i) $(60 \times 2) \times (20 \times 2) = 1200 \times 4$ j) $(60 \times u) \times (20 \times u) = 1200 \times u \times u$
k) $(60 \div 4) \times (20 \div 4) = 1200 \div 16$ l) $(60 \div v) \times (20 \div v) = 1200 \div v \times v$
m) $(60 \times 5) \times (20 \div 5) = 1200$ n) $(60 \times a) \times (20 \div a) = 1200$

2

Fill in the missing numbers and signs. $1500 \div 30 = 50$

- a) $(1500 \times 2) \div 30 = 50 \times 2$ b) $(1500 \times a) \div 30 = 50 \times a$
c) $1500 \div (30 \times 2) = 50 \div 2$ d) $1500 \div (30 \times a) = 50 \div a$
e) $(1500 \div 2) \div 30 = 50 \div 2$ f) $(1500 \div a) \div 30 = 50 \div a$
g) $1500 \div (30 \div 2) = 50 \times 2$ h) $1500 \div (30 \div a) = 50 \times a$
i) $(1500 \times 2) \div (30 \div 2) = 50 \times 4$
j) $(1500 \times a) \div (30 \div a) = 50 \times a \times a$
k) $(1500 \div 2) \div (30 \times 2) = 50 \div 4$
l) $(1500 \div a) \div (30 \times a) = 50 \div a \times a$
m) $(1500 \times 2) \div (30 \times 2) = 50$  
n) $(1500 \times a) \div (30 \times a) = 50$  
o) $(1500 \div 2) \div (30 \div 2) = 50$  
p) $(1500 \div a) \div (30 \div a) = 50$  

3

Calculate 286×53

$$\begin{array}{r} 286 \\ \times 53 \\ \hline 858 \\ 14300 \\ \hline 15158 \end{array}$$

15158

4

What is the greatest 3-digit natural number in which the **product** of its digits is 108?

962

1

These are the times when letters are collected from a post box.

Monday to Friday	Saturday	Sunday
9 am 2 pm 6.30 pm	11.30 am	No collection

What is the **latest** time that letters are collected on **Wednesdays**? 6.30 pm


Carla posts a letter at **10 a.m. on Monday**.
How **long** will it be before it is collected?

4 hours

Gareth posts a letter on **Saturday at 4 p.m.**
When will it be collected from the post box?

Monday at 9 am

2



This diagram shows the distances of different towns from Birmingham.

Write the name of a town which is **between 30 and 50 miles** from Birmingham.

..... Derby or Stoke

Use the diagram to estimate the distance in **miles** from **Birmingham** to **Mansfield**.

e.g. 62 miles

3

Emma parks her car at **9.30 am**.
She collects the car at **1.20 pm**.
How much does she pay?

£1.70

Car Park Charges	
Time	Charge
Up to 1 hour	20 p
1 to 2 hours	50 p
2 to 3 hours	£1.00
3 to 4 hours	£1.70
Over 4 hours	£5.00

Dan and Mark both use the car park.

Dan says, '*I paid exactly twice as much as Mark but I only stayed 10 minutes longer.*'

In your exercise book, explain how Dan could be correct.


e.g. 'Mark could have parked for 1 hour 54 minutes and paid 50 p, and Dan could have parked for 2 hours 4 minutes and paid £1.00.'

4

Here is a sketch of a triangle. It is not drawn to scale.


Draw the full size triangle **accurately**.

Use an angle measurer (**protractor**) and a ruler.



1

The line on the grid is one side of a square.
On the grid, draw the other three sides of the square.
Use a ruler.



2

Group these plane shapes by listing their numbers.

2, 6, 8, 12		1, 3, 4, 5, 7, 10, 11, 14			4, 6, 7, 8, 10, 13, 14	
Triangles		Quadrilaterals			Has at least 1 right angle	

3

Decide whether the statements are *true* or *false*, then list their letters below.


- | | |
|--|---|
| a) All rectangles are quadrilaterals. <input type="checkbox"/> T | b) All quadrilaterals are rectangles. <input type="checkbox"/> F |
| c) Every quadrilateral is a rectangle but not every rectangle is a quadrilateral. <input type="checkbox"/> F | d) The diagonals of a rectangle are equal in length. <input type="checkbox"/> T |
| e) The adjacent sides of any rectangle are equal to each other. <input type="checkbox"/> F | f) The opposite sides of any rectangle are equal and parallel to each other. <input type="checkbox"/> T |
| g) Every trapezium has only 1 pair of parallel sides. <input type="checkbox"/> F | h) Every quadrilateral which has parallel sides is a trapezium. <input type="checkbox"/> T |
| i) All quadrilaterals with equal angles are rectangles. <input type="checkbox"/> T | j) There is a trapezium with equal sides which is not a rhombus. <input type="checkbox"/> F |

True: a, d, f, h, i

False: b, c, e, g, j

4

Here are five shapes on a square grid.




Write in the **missing** letters.

Shape ☐ C has 2 pairs of parallel sides.

Shape ☐ A is a pentagon.

Shape ☐ E has reflective symmetry.


1

Use a ruler to draw the **reflection** of this shape in the mirror line.


You may use a mirror or tracing paper.

2


Draw mirror lines on the diagrams which have **reflective symmetry**.

**3**

Draw the reflection of each shape in its mirror line.

**4**

Following the instructions:



A (1, 1); B (3, 1)

C (3, 5); D (1, 3)

a) A' (1, - 1); B' (3, - 1)

C' (3, - 5); D' (1, - 3)

b) A'' (- 1, - 1); B'' (- 3, - 1)

C'' (- 3, - 5); D'' (- 1, -

c) A''' (7, - 1); B''' (5, - 1)


C''' (5, - 5); D''' (7, - 3)

d) A* (- 1, 1); B* (- 1, 3)

C* (- 5, 3); D* (- 3, 1)

1

Fill in the missing coordinates.



What do you notice about the shapes? e.g.

- $A'B'C'D' \cong A''B''C''D''$, $ABCD \sim A'B'C'D' \sim A''B''C''D''$
- $ABCD$ has been enlarged by 2 times and then translated by 1 unit to the right and 1 unit up to form $A'B'C'D'$.
- $A'B'C'D'$ has been rotated by 180° to form $A''B''C''D''$ or $A'B'C'D'$ has been reflected in the origin to form $A''B''C''D''$

2

What is the **length** of the model? Give your answer in **centimetres**, correct to one decimal place.

8.7

 cm

The height of the model is **2.9 centimetres**. The height of the real car is **50 times** the height of the model. What is the **height** of the **real car**? Give your answer in **metres**.

Show your **method**. Height of real car $2.9 \text{ cm} \times 50 = 29 \text{ cm} \times 5 = 145 \text{ cm} = 1.45 \text{ m}$

1.45

3

Solve the problem in your exercise book.

The lengths of the sides of a rectangle are whole centimetres. The perimeter of the rectangle is 20 cm.

- a) How many different such rectangles are possible? **5** Give the length of their sides.

$$P = 2 \times (a + b) = 20 \text{ cm, so } a + b = 20 \text{ cm} \div 2 = 10 \text{ cm}$$

a	1	2	3	4	5
b	9	8	7	6	5

- b) Which of them has the smallest and greatest areas and what are these areas?

- i) Smallest possible area: $a = 1 \text{ cm}$, $b = 9 \text{ cm}$



$$A = 1 \text{ cm} \times 9 \text{ cm} = 9 \text{ cm}^2$$

- ii) Greatest possible area: $a = 5 \text{ cm}$, $b = 5 \text{ cm}$

$$A = 5 \text{ cm} \times 5 \text{ cm} = 25 \text{ cm}^2$$


1

Draw **one line** from each shape to the rectangle which has the **same area**.



2



On the grid, draw a **triangle** which has the **same area** as the shaded rectangle.



3

Lindy has 4 triangles, all the same size. She uses them to make a star.

Not to scale



Calculate the **perimeter** of the star.

Show your **method**.

$$P = 7 + 13 + 7 + 13 + 7 + 13 + 7 + 13 \\ = 4 \times (7 + 13) = 4 \times 20 = \underline{80} \text{ (cm)}$$

80 cm

4

The numbers represented by the square must be even and greater than 6. List all the numbers which make the inequality true.


$$24 < (\square \div 2 - 3) \times 2 < 50$$

■ : 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54

1

This cuboid is made from centimetre cubes.
It is 4 cm by 3 cm by 2 centimetres.
What is the **volume** of the cuboid?

cm³



Another cuboid is made from centimetre cubes.
It has a volume of **30 cubic centimetres**.

What could the **length, height and width** be? **e.g.**



length: cm height: cm width: cm

or 30, 1, 1 or 15, 2, 1 or 10, 3, 1 or 6, 5, 1 (all cm) in any order

2

a) Draw the net of a cuboid with sides 4 cm, 3 cm, and 2 cm.

e.g.



b) Calculate its surface area.

$$A = 2 \times (4 \times 3 + 2 \times 3 + 4 \times 2) = 2 \times (12 + 6 + 8) \\ = 2 \times 26 = \underline{52} \text{ (cm}^2\text{)}$$

3

Use each of the digits 0, 1, 2, 3, 4, 5, 6, 7, 8 and 9 **only once** to make **five** whole numbers, so that one number is twice, another number is three times, another number is four times and the last number is five times the smallest number.

$$18, 36, 54, 72, 90 \quad \text{Check: } 18 \times 2 = \underline{36} \\ 18 \times 3 = \underline{54} \\ 18 \times 4 = \underline{72} \\ 18 \times 5 = \underline{90} \quad \checkmark$$

1

This table shows the cost of sending a letter.

Paul is sending a letter.

It costs **£1.99 second class**.

How much would it cost him to send it **first class**?


£2.39

Jenny has a letter with a mass of **550 g**.
What does it cost to send it **first class**?

£3.30

Mass	Cost	
	First class	Second class
Letter Up to 100 g	"85p	66p
Large Letter Up to 100 g	£1.29	£0.96
" 250 g	£1.83	£1.53
" 500 g	£2.39	£1.99
" 750 g	£3.30	£2.70

2



Five children collect money to plant trees.

Here is a bar chart of the amounts they have raised so far.

Their target is **£40 altogether**.

How much **more** money do they need to reach the target?

Show your **working** in your exercise book.

£ 15

3

Tom, Amy and Helen want to go on a boat trip. There are three boats.



Lark 50 minute trip Tickets £2.75 each	Heron 70 minute trip Tickets £3.50 each	Kestrel 90 minute trip Tickets £4.20 each
---	--	--

How much does it cost altogether for **three people** to go on the **Lark**?



£ 8.25

Tom and Amy go on the **Heron**. They leave at **2.15 pm**.

At what **time** do they return?

3.25 pm

Helen goes on the **Kestrel** and gets back at **4.15 pm**.

At what time did the boat leave?



2.45 pm

4


The inner ring on this spinner is divided into 12 equal sections.

a) On which number is the pointer most likely to stop?
Explain your answer in your exercise book.

3

b) What is the probability of getting an even number?

$\frac{1}{3}$



1

Rob has some number cards. He holds up a card. He says,

'If I multiply the number on this card by 5, the answer is 35.'

What is the number on the card?

7

He holds up a different card. He says,

'If I divide the number on this card by 6, the answer is 4.'

What is the number on the card?

24

2

August 2020

Sun	Mon	Tue	Wed	Thu	Fri	Sat
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

Here is the calendar for August 2020.

Simon's birthday is on **August 20th**.

In 2020 he had a party on the **Sunday** after his birthday.

What was the **date** of his party?

August 23rd

Tina's birthday is on **September 9th**.

On what **day of the week** was her birthday in 2020? **Wednesday**

3

The **same** number is missing from each box. Write the **missing** numbers in the boxes.

$$\boxed{11} \times \boxed{11} \times \boxed{11} = 1331$$

4

Parveen buys **3 small bags of peanuts**. She gives the shopkeeper **£2** and gets **80 p change**. What is the cost in **pence** of **one** bag of peanuts?

Show your **working** in your exercise book.

40 p

5

Kalid makes a sequence of numbers. The first number is 2. The last number is 18. His rule is to add the **same amount** each time. Write in the **missing** numbers.

$\boxed{2}, \boxed{6}, \boxed{10}, \boxed{14}, \boxed{18}$

6

In the year 2002, a man's age in years was equal to the sum of the digits of the year in which he was born. How old was he in 2002?

20 years

1

Milly and Ryan play a number game: *What's my number?*

Milly

Is it under 20?

Ryan

Yes

Is it a multiple of 3?

Yes

Is it a multiple of 5?

Yes

What is the number?

15

Milly and Ryan play the game again.

Ryan

Is it under 20?

No

Is it under 25?

Yes

Is it odd?

Yes

Is it a prime number?

Yes

What is the number?

23

2

Here are two bags.

Each bag has **3 white balls** and **one black ball** in it.

A ball is taken from **one of the bags** without looking.

What is the probability that it is a **black ball**?



Give your answer as a fraction.

$\frac{1}{4}$

All the balls from both bags are now mixed together in a new bag.


Put a **cross (x)** on this line to show the probability of taking a **black ball** from the new bag.

$$p(\text{black}) = \frac{2}{8} = \frac{1}{4}$$



3

Write the positive whole numbers which are not greater than 20 in the Venn diagram.



4

List the whole numbers greater than 500 and less than 900 in which the digits are **increasing**. Try it out in your exercise book first.

567, 568, 569, 578, 579, 589; 678, 679, 689; 789 (10)

5

When we add two numbers from four natural numbers, the sums are: 3, 3, 4, 5, 6 and 6. What are the four numbers?

1

2


2

4

Extra questions

1

Factorise 172 and list its positive factors.



Positive factors: 1, 2, 4, 43, 86, 172

2

The digits of a 4-digit number greater than 5000 follow each other in increasing order.

Another 4-digit number has those digits too, but in decreasing order.


A third 4-digit number has those digits too.

What are the three numbers if we know that their sum is 26352?

$$\begin{array}{r} \begin{array}{r} 5678 \\ 8765 \\ + \boxed{9} \\ \hline 26352 \end{array} \quad \begin{array}{r} 5679 \\ 9765 \\ + \boxed{8} \\ \hline 26352 \end{array} \quad \begin{array}{r} 5689 \\ 9865 \\ + \boxed{798} \\ \hline 26352 \end{array} \quad \begin{array}{r} 5789 \\ 9875 \\ + \boxed{88} \\ \hline 26352 \end{array} \quad \begin{array}{r} 6789 \\ 9876 \\ + \boxed{9687} \\ \hline 26352 \end{array} \quad \checkmark \end{array}$$

3

We want to place 12 spotlights in the ceiling so that they are in 6 straight lines and there are 4 spotlights in each line. Draw different arrangements




4

The edges of a cube are to be coloured either *red* or *blue* so that each face has at least one *red* edge. What is the **least** number of edges which should be coloured *red*?

Draw a diagram to show your answer.


3 edges coloured *red* are enough.



5


Each diagram is the map of a field in which there are 4 wells. Show how the field could be divided into 4 **congruent** parts so that each part has exactly one well.

(Only the grid lines shown on the diagrams are to be used.)



1

Fill in the missing numbers so that the product of any two **adjacent** numbers is the number directly above them.



2


Sannir spins a **fair** coin and records the results.
In the first four spins, '**heads**' comes up each time.
Sannir says, '*A head is more likely than a tail.*'

Is he **correct**? Circle Yes or No.

YES / **NO**

Give a reason for your answer.

e.g. He is not correct because there are 2 possible outcomes, a head or a tail, and as the coin is fair, each outcome is equally likely.




3

A shop sells sheets of sticky labels.

On each sheet there are **36 rows** and **18 columns** of labels.

How many labels are there altogether in **45 sheets**?

Show your *method*.



Plan: $36 \times 18 \times 45 = 29\,160$
on each sheet

29 160 labels on 45 sheets



C:

36
$\times 18$
288
$+ 360$
648

648
$\times 45$
3240
$+ 25920$
29160

4

Harry has **six** tins of soup.
The labels have fallen off.
Here are the labels and tins.



Harry chooses a tin.

What is the **probability** that it is a tin of **Pea Soup**?
Give your answer as a fraction.


$\left[\frac{2}{6} = \frac{1}{3} \right]$

What is the **probability** that the tin he chooses is **not** a tin of **Tomato Soup**? Give your answer as a fraction.

$\left[\frac{4}{6} = \frac{2}{3} \right]$

1

Factorise 174 and list its positive factors.



Positive factors:

1, 2, 3, 6, 29, 58, 87, 174

2



Freddy Fox decided that from that day forward he would always tell the truth on Mondays, Wednesdays and Fridays but he would always tell lies on the other days of the week

One day he said, '*Tomorrow I will tell the truth.*'

On which day of the week do you think he said this? **Saturday**

3

Two barrels of equal size contain oil. One of the barrels is full and the other is half full. Their masses are 86 kg and 53 kg.

What is the mass of an empty barrel?

20 kg

4

Andy, Betty, Cindy and Danny are walking down a mountain and need to go through a narrow, dark tunnel but have to overcome these difficulties.

- They have a torch which has only 12 minutes of power left.
- Andy is able to walk through the tunnel in 1 minute, Betty in 2 minutes, Cindy in 4 minutes and Doris in 5 minutes.
- They are all scared of the dark, so each of them will need the torch.
- The tunnel is so narrow that only 2 of them can walk through it at the same time.

Is it possible for them all to get through the tunnel?

If so, how could they do it? If not, why not? **Yes, they could all get through the tunnel.**

Total time: **12 mins**

A + B go through at the same time (2 minutes)

A returns with the torch. (1 minute)

C + D go through at the same time. (5 minutes)

B returns with the torch. (2 minutes)

A and B go through together. (2 minutes)

5

Write the natural numbers from 1 to 9 into a 3 by 3 grid so that:

- the sum of the 3-digit numbers formed in the top and middle rows is equal to the 3-digit number in the bottom row;
- the sum of the 3-digit numbers formed in the left and middle columns is equal to the 3-digit number formed in the right column.

e.g.

1	5	7
4	8	2
6	3	9

7	1	8
2	3	6
9	5	4